



Date:

Sample:

Conc:

Notes:

Well #	Tube Contents	Notes
A1	DW	
A2	DW	
A3	DW	
A4	LiSO ₄ , 0.5M	
A5	LiSO ₄ , 1M	
A6	LiSO ₄ , 2M	
A7	1,2-Ethanediol (ethylene glycol), 20% v/v	
A8	1,2-Ethanediol (ethylene glycol), 40% v/v	
A9	1,2-Ethanediol (ethylene glycol), 80% v/v	
A10	1,2-Propanediol, 15% v/v	
A11	1,2-Propanediol, 30% v/v	
A12	1,2-Propanediol, 60% v/v	
B1	1,2,3-Propanetriol (Glycerol), 15% w/v	
B2	1,2,3-Propanetriol (Glycerol), 30% w/v	
B3	1,2,3-Propanetriol (Glycerol), 60% w/v	
B4	1,5-Pentenediol, 15% w/v	
B5	1,5-Pentenediol, 30% w/v	
B6	1,5-Pentenediol, 60% w/v	
B7	1,2,4-Butanetriol, 20% w/v	
B8	1,2,4-Butanetriol, 40% w/v	
B9	1,2,4-Butanetriol, 80% w/v	
B10	1,2-Hexanediol, 20% v/v	
B11	1,2-Hexanediol, 40% v/v	
B12	1,2-Hexanediol, 80% v/v	

Well #	Tube Contents	Notes
C1	1,6-Hexanediol, 20% w/v	
C2	1,6-Hexanediol, 40% w/v	
C3	1,6-Hexanediol, 80% w/v	
C4	2-Methyl-2,4-pentanediol (MPD), 20% v/v	
C5	2-Methyl-2,4-pentanediol (MPD), 40% v/v	
C6	2-Methyl-2,4-pentanediol (MPD), 80% v/v	
C7	meso-Erythritol, 12% w/v	
C8	meso-Erythritol, 25% w/v	
C9	meso-Erythritol, 50% w/v	
C10	1,1,1-Tris(hydroxymethyl)propane, 20% w/v	
C11	1,1,1-Tris(hydroxymethyl)propane, 40% w/v	
C12	1,1,1-Tris(hydroxymethyl)propane, 80% w/v	
D1	1,2,6-Hexanetriol, 20% w/v	
D2	1,2,6-Hexanetriol, 40% w/v	
D3	1,2,6-Hexanetriol, 80% w/v	
D4	D-(-)-Lyxose, 20% w/v	
D5	D-(-)-Lyxose, 40% w/v	
D6	D-(-)-Lyxose, 80% w/v	
D7	Xylitol, 10% w/v	
D8	Xylitol, 20% w/v	
D9	Xylitol, 40% w/v	
D10	D-(-)-Fructose, 20% w/v	
D11	D-(-)-Fructose, 40% w/v	
D12	D-(-)-Fructose, 80% w/v	

Angstrom Additive MD1-100

Well #		Notes
E1	D-(+)-Glucose, 15% w/v	
E2	D-(+)-Glucose, 30% w/v	
E3	D-(+)-Glucose, 60% w/v	
E4	myo-Inositol, 2.5% w/v	
E5	myo-Inositol, 5% w/v	
E6	myo-Inositol, 10% w/v	
E7	L-Rhamnose monohydrate, 6% w/v	
E8	L-Rhamnose monohydrate, 12% w/v	
E9	L-Rhamnose monohydrate, 25% w/v	
E10	Tetraethylene glycol, 20% v/v	
E11	Tetraethylene glycol, 40% v/v	
E12	Tetraethylene glycol, 80% v/v	
F1	PEG 200, 20% v/v	
F2	PEG 200, 40% v/v	
F3	PEG 200, 80% v/v	
F4	Pentaethylene glycol, 20% v/v	
F5	Pentaethylene glycol, 40% v/v	
F6	Pentaethylene glycol, 80% v/v	
F7	PEE (3/4 EO/OH), 20% w/v	
F8	PEE (3/4 EO/OH), 40% w/v	
F9	PEE (3/4 EO/OH), 80% w/v	
F10	Hexaethylene glycol, 20% w/v	
F11	Hexaethylene glycol, 40% w/v	
F12	Hexaethylene glycol, 80% w/v	

Angstrom Additive MD1-100

Well #	Tube Contents	Notes
G1	PEG 300, 20% v/v	
G2	PEG 300, 40% v/v	
G3	PEG 300, 80% v/v	
G4	Sucrose (D(+)-Saccharose), 15% w/v	
G5	Sucrose (D(+)-Saccharose), 30% w/v	
G6	Sucrose (D(+)-Saccharose), 60% w/v	
G7	maltitol, 20% w/v	
G8	maltitol, 40% w/v	
G9	maltitol, 80% w/v	
G10	D-(+)-Trehalose dihydrate, 12% w/v	
G11	D-(+)-Trehalose dihydrate, 25% w/v	
G12	D-(+)-Trehalose dihydrate, 50% w/v	
H1	PEG 400, 20% v/v	
H2	PEG 400, 40% v/v	
H3	PEG 400, 80% v/v	
H4	PEP (5/4 PO/OH), 20% w/v	
H5	PEP (5/4 PO/OH), 40% w/v	
H6	PEP (5/4 PO/OH), 80% w/v	
H7	PEG 500 MME, 15% v/v	
H8	PEG 500 MME, 30% v/v	
H9	PEG 500 MME, 60% v/v	
H10	PEG 600, 15% w/v	
H11	PEG 600, 30% w/v	
H12	PEG 600, 60% w/v	