

1. IDENTIFICATION OF SUBSTANCE AND COMPANY DETAILS

1.1 Product Identifier

Product name:	MemTrans Eco Screen / MemTrans HT-96 Eco Screen
Product number:	MD1-112-ECO / MD1-113-ECO
EC No.:	See section 3
REACH registration No.:	See section 3
CAS No.:	See section 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Research and development
Uses advised against	Not for drug, household or uses other than those identified

1.3 Details of the supplier of the Safety Datasheet

Supplier	Molecular Dimensions Limited
Address	Unit 6 Goodwin Park Willie Snaith Road Newmarket Suffolk CB8 7SQ United Kingdom
Telephone:	+44 (0)1638 561051
Fax	+44 (0)1638 660674
Email address	enquiries@moleculardimensions.com

1.4 Emergency telephone number

Emergency phone number	999
------------------------	-----

2. HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

EUH032	Contact with acids liberates very toxic gas
H272	May intensify fire; oxidizer
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H341	Suspected of causing genetic defects
H350	May cause cancer
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H360FD	May damage fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long-lasting effects
H412	Harmful to aquatic life with long-lasting effects

2.2 Label elements

Labelling according to Regulation (EC) No. 1277/2008 [CLP]

Pictogram(s):



Hazard statement(s):

See section 2.1.

Precautionary statement(s):

P201	Obtain special instructions before use
P220	Keep/Store away from clothing/combustible materials
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P284	Wear respiratory protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P311	Call a POISON CENTER or doctor/physician
P501	Dispose of contents/container according to instructions on SDS

2.3 Other hazards

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Chemical	EC No.	REACH No.	CAS No.	Concentration	P-code(s)	H-code(s)
ADA	-	-	26239-55-4	0.05 - 0.1 M		
Ammonium acetate	211-162-9	-	631-61-8	0.2M		
Ammonium formate	208-753-9	-	540-69-2	0.1M	P261, P305+P351+P338	H315, H319, H335
Ammonium phosphate monobasic	231-764-5	-	7722-76-1	0.2M		
Ammonium sulfate	231-984-1	-	7783-20-2	0.1 - 0.2 M		
Ammonium thiocyanate	217-175-6	-	1762-95-4	0.4M	P273, P280	H302, H312, H332, H412, EUH032
Barium chloride dihydrate	233-788-1	-	10326-27-9	0.15M	P301+P310	H301, H332
BICINE	-	-	150-25-4	0.1M		
BIS-TRIS	230-237-7	-	6976-37-0	0.08 - 0.1 M	P261, P305+P351+P338	H315, H319, H335
Cadmium chloride hemipentahydrate	233-296-7	-	7790-78-5	0.005M	P201, P260, P273, P284, P301+P310, P310	H301, H330, H340, H350, H360FD, H372, H410
Calcium acetate hydrate	200-580-7	-	114460-21-8	0.08 - 0.1 M	P261, P305+P351+P338	H315, H319, H335
Calcium chloride dihydrate	233-140-8	-	10035-04-8	0.01 - 0.12 M	P305+P351+P338	H319
CHES	203-115-6	-	103-47-9	0.05 - 0.1 M	P305+P351+P338	H319
Citric acid	201-069-1	-	77-92-9	0.05 - 0.1 M	P305+P351+P338	H319
Glycine	200-272-2	-	56-40-6	0.05 - 0.1 M		
HEPES	-	-	7365-45-9	0.05 - 0.1 M		
Hexylene glycol	203-489-0	-	107-41-5	3%v/v	P305+P351+P338	H315, H319
Lithium chloride	231-212-3	-	7447-41-8	0.1M	P261, P305+P351+P338	H302, H315, H319, H335
Lithium citrate tribasic tetrahydrate	213-045-8	-	6080-58-6	0.05M	P261, P305+P351+P338	H315, H319, H335
Lithium nitrate	232-218-9	-	7790-69-4	0.05 - 0.1 M	P220	H272
Lithium phosphate	233-823-0	-	10377-52-3	0.05 - 0.075 M	P261, P305+P351+P338	H302, H315, H319, H335
Lithium sulfate	233-820-4	-	10102-25-7	0.02 - 0.2 M		H302
Magnesium acetate tetrahydrate	-	-	16674-78-5	0.05 - 0.125 M		
Magnesium chloride hexahydrate	-	-	7791-18-6	0.04 - 0.25 M		
Magnesium nitrate hexahydrate	-	-	13446-18-9	0.06 - 0.1 M		
Manganese(II) chloride tetrahydrate	231-869-6	-	13446-34-9	0.01M		H302
MES monohydrate	224-632-3	-	145224-94-8	0.05 - 0.1 M	P261, P305+P351+P338	H315, H319, H335
Methoxypolyethylene glycol 350	-	-	9004-74-4	38%v/v		
MOPS	214-478-5	-	1132-61-2	0.05 - 0.1 M	P261, P305+P351+P338	H315, H319, H335
Nickel(II) chloride hexahydrate	-	-	7791-20-0	0.01 - 0.05 M	P201, P261, P273, P280, P301+P310, P311	H301, H315, H317, H334, H341, H350i, H360D, H372, H410, H331,
Nickel(II) sulfate hexahydrate	232-104-9	-	10101-97-0	0.05M	P201, P261, P273, P280, P308+P313, P501	H302, H315, H317, H334, H341, H350i, H360D, H372, H410, H332,
Pentaerythritol propoxylate (5/4 PO/OH)	500-030-9	-	9051-49-4	27%v/v		
Poly(ethylene glycol) 1000	500-038-2	-	25322-68-3	15 - 30 %w/v		
Poly(ethylene glycol) 1500	500-038-2	-	25322-68-3	18 - 20 %w/v		
Poly(ethylene glycol) 200	500-038-2	-	25322-68-3	30 - 40 %v/v		
Poly(ethylene glycol) 2000	500-038-2	-	25322-68-3	10 - 23 %w/v		
Poly(ethylene glycol) 300	500-038-2	-	25322-68-3	24 - 40 %v/v		
Poly(ethylene glycol) 3000	500-038-2	-	25322-68-3	14%w/v		
Poly(ethylene glycol) 3350	500-038-2	-	25322-68-3	8 - 31 %w/v		
Poly(ethylene glycol) 400	500-038-2	-	25322-68-3	8 - 45 %v/v		
Poly(ethylene glycol) 4000	500-038-2	-	25322-68-3	8 - 25 %w/v		
Poly(ethylene glycol) 600	500-038-2	-	25322-68-3	2 - 36 %v/v		
Poly(ethylene glycol) 8000	500-038-2	-	25322-68-3	5 - 10 %w/v		
Poly(ethylene glycol) methyl ether 2000	-	-	9004-74-4	5 - 20 %w/v		
Poly(ethylene glycol) methyl ether 550	-	-	9004-74-4	18 - 38 %v/v		
Potassium acetate	204-822-2	-	127-08-2	0.25M		
Potassium chloride	231-211-8	-	7447-40-7	0.02 - 0.2 M		
Potassium citrate tribasic monohydrate	-	-	6100-05-6	0.05 - 0.1 M		
Potassium nitrate	231-818-8	-	7757-79-1	0.14M		
Potassium phosphate monobasic	231-913-4	-	7778-77-0	0.08M		
Potassium thiocyanate	206-370-1	-	333-20-0	0.125 - 0.2 M	P273, P280	H302, H312, H332, H412, EUH032
Praseodymium(III) acetate hydrate	228-242-4	-	334869-74-8	0.01M		
Sodium acetate trihydrate	-	-	6131-90-4	0.025 - 0.1 M		
Sodium chloride	231-598-3	-	7647-14-5	0.02 - 0.5 M		
Sodium citrate tribasic dihydrate	-	-	6132-04-3	0.05 - 0.1 M		
Sodium malonate dibasic monohydrate	-	-	26522-85-0	0.2M		
Sodium phosphate monobasic monohydrate	-	-	10049-21-5	0.04 - 0.06 M		
Sodium sulfate	231-820-9	-	7757-82-6	0.15M		
Succinic acid	203-740-4	-	110-15-6	0.1M	P261, P280, P305+P351+P338	H315, H318, H335
Trizma® base	201-064-4	-	77-86-1	0.02 - 0.1 M	P261, P305+P351+P338	H315, H319, H335
Trizma® hydrochloride	-	-	1185-53-1	0.08 - 0.1 M		
Zinc chloride	231-592-0	-	7646-85-7	0.12M	P273, P280, P305+P351+P338, P310, P501	H302, H314, H410
Zinc sulfate heptahydrate	231-793-3	-	7446-20-0	0.2M	P273, P280, P305+P351+P338, P501	H302, H318, H410

4. FIRST AID MEASURES

4.1 Description of first aid measures

General notes

Consult a doctor. Show this safety datasheet to the doctor in attendance.

Following inhalation

Move to fresh air. If not breathing, give artificial respiration. Consult a doctor. Seek immediate medical attention.

Following skin contact

Wash off with soap & water. Consult a doctor. Take off contaminated clothing & shoes immediately.

Following eye contact

Flush eyes with water. Rinse thoroughly for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Consult a doctor. Do NOT induce vomiting. Seek immediate medical attention.

Self-protection for first aider

Always use recommended PPE when treating patient.

4.2 Most important symptoms and effects, both acute and delayed

The most important known effects are detailed in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING METHODS

5.1 Extinguishing media

Use water spray, alcohol resistant foam, dry chemical or carbon dioxide. Use dry chemical powder.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Nitrogen oxides. Phosphorous oxides. Sulfur oxides. Hydrogen chloride gas. Barium oxides. Cadmium oxides. Calcium oxides. Lithium oxides. Magnesium oxides. Metal oxides. Nickel oxides. Potassium oxides. Sodium oxides. Zinc oxides.

5.3 Advice for firefighters

Wear breathing apparatus. Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours. Use personal protective equipment. Use personal protective equipment including respiratory protection. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Do not let product enter drains

6.3 Methods and materials for containment and clean up

Use spill kit to contain spillage & use wet brushing to place in a suitable container for disposal. Do not flush with water. Evacuate personnel to safe areas. Remove all sources of ignition.

6.4 Reference to any other sections

For disposal, see section 13

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

For precautions, see section 2.2

7.2 Conditions for safe storage, including any incompatibilities.

Store in cool place. Keep container tightly closed in well-ventilated place. Containers which are opened must be carefully resealed and stored upright to prevent leakage.

7.3 Specific end use

Apart from uses in Section 1.2, no other specific uses are stipulated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Chemical	CAS No.	Country	Limit value		Basis
			STEL	TWA	
Barium chloride dihydrate	10326-27-9	UK		0.5 mg/m ³	EH40 WEL - Workplace Exposure Limit
Cadmium chloride hemipentahydrate	7790-78-5	UK		0.025 mg/m ³	EH40 WEL - Workplace Exposure Limit
Hexylene glycol	107-41-5	UK	25 mg/m ³		EH40 WEL - Workplace Exposure Limit
Manganese(II) chloride tetrahydrate	13446-34-9	UK		0.5 mg/m ³	EH40 WEL - Workplace Exposure Limit
Nickel(II) chloride hexahydrate	7791-20-0	UK		0.1 ppm	EH40 WEL - Workplace Exposure Limit
Nickel(II) sulfate hexahydrate	10101-97-0	UK		0.1 mg/m ³	EH40 WEL - Workplace Exposure Limit
Potassium thiocyanate	333-20-0	UK		5 mg/m ³	EH40 WEL - Workplace Exposure Limit
Zinc chloride	7646-85-7	UK	2 mg/m ³	1 mg/m ³	EH40 WEL - Workplace Exposure Limit

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Wash hands before work break and at the end of the day

8.2.2 Personal protection

Eye/face protection

Face shield & safety specs.

Skin Protection

Nitrile gloves (splash protection only) and lab coat

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as CEN (EU) as back up to engineering control

Environmental exposure controls

Do not let product enter drains

9. PHYSICAL AND CHEMICAL PROPERTIES

a) Appearance	Transparent liquid
b) Odour	No data available
c) Odour threshold	No data available
d) pH	No data available
e) Melting point / freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability	No data available
j) Upper / lower flammability or exposure limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	No data available
n) Solubility(ies)	No data available
o) Partition coefficient: n-octanol / water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidising properties	No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity	No data available
10.2 Chemical stability	No data available
10.3 Possibility of hazardous reactions	No data available
10.4 Conditions to avoid	No data available
10.5 Incompatible materials	Strong oxidising agents, strong acids, strong bases
10.6 Hazardous decomposition materials	No data available. In case of fire see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

a) Acute toxicity	No data available
b) Skin corrosion / irritation	No data available
c) Serious eye damage / irritation	No data available
d) Respiratory or skin sensitization	No data available
e) Germ cell mutagenicity	No data available
f) Carcinogenicity	No data available
g) Reproductive toxicity	No data available
h) STOT - single exposure	No data available
i) STOT - repeated exposure	No data available
j) Aspiration hazard	No data available

11.2 Delayed and immediate effects as well as chronic effects from short to long term exposure

Symptoms

Vomiting, diarrhoea, damage to tooth enamel, dermatitis. Dizziness, procrastination, can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, thyroid disturbances. Central nervous system effects including: blurred vision, sensory loss, slurred speech, ataxia, convulsions. Diarrhoea, vomiting, neuromuscular effects such as tremors, clonus, hyperactive reflexes. Absorption into body leads to formation of methemoglobin which causes & cyanosis. Onset delayed by 2-4 hours or longer. Ingestion may cause nausea & vomiting. Exposure to large amounts can cause tiredness, methaemoglobinemia, headache, cardiac dysrhythmias, and drop in blood pressure, spasms, and cyanosis. Gastrointestinal disturbance. Headache, nausea, vomiting. Vomiting, diarrhoea, dehydration, congestion in internal organs. Inflammatory reactions in gastrointestinal tract. Irritating to respiratory tract. Can cause oxide Phosphorous oxides dermatitis. Metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, nausea followed by fever & chills. Bronchitis/pneumonia with blueish tint to skin, burning sensation, wheezing, laryngitis. Shortness of breath, headache, vomiting, airway resistance, cardiovascular effects, pulmonary edema, congestive heart failure. Burning sensation, shortness of breath, cough, wheezing, laryngitis, and headache. Dizziness, procrastination, can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, thyroid disturbances. Absorption into body leads to formation of methemoglobin which causes cyanosis. Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhoea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion.

12. ECOLOGICAL INFORMATION

12.1 Toxicity	No data available
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	No data available
12.5 Results of PBT and vPvB assessment	No data available
12.6 Other adverse effects	No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / packaging disposal

Dispose of packaging as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company. Observe all EU and local environmental regulations

14. TRANSPORT INFORMATION

14.1 UN number

A.R.D./R.I.D.	3082	I.M.D.G.	3082	I.C.A.O.-T.I.	3082	A.D.N.	3082
---------------	------	----------	------	---------------	------	--------	------

14.2 UN proper shipping name

A.R.D./R.I.D.	Environmentally hazardous substance, liquid, n.o.s.	I.M.D.G.	Environmentally hazardous substance, liquid, n.o.s.
I.C.A.O.-T.I.	Environmentally hazardous substance, liquid, n.o.s.	A.D.N.	Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es)

A.R.D./R.I.D.	9	I.M.D.G.	9	I.C.A.O.-T.I.	9	A.D.N.	9
---------------	---	----------	---	---------------	---	--------	---

14.4 Packaging group

A.R.D./R.I.D.	II	I.M.D.G.	II	I.C.A.O.-T.I.	II	A.D.N.	II
---------------	----	----------	----	---------------	----	--------	----

14.5 Environmental hazards

A.R.D./R.I.D.	Yes	I.M.D.G.	Yes	I.C.A.O.-T.I.	Yes	A.D.N.	Yes
---------------	-----	----------	-----	---------------	-----	--------	-----

14.6 Special precautions for user

A.R.D./R.I.D.	No data available	I.M.D.G.	No data available
I.C.A.O.-T.I.	No data available	A.D.N.	No data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

No data available.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

16. OTHER INFORMATION

- a) **Changes since last revision**
First issue
- b) **Key to any abbreviations used**
- | | |
|---------------|---|
| PPE | Personal protective equipment |
| A.R.D./R.I.D. | International Carriage of Dangerous Goods by Road / Rail |
| I.M.D.G. | International Maritime Dangerous Goods |
| I.C.A.O.-T.I. | Technical Instructions for the Safe Transport of Dangerous Goods by Air |
| A.D.N. | International Carriage of Dangerous Goods by Inland Waterways |
| TWA | Time-weighted average |
| STEL | Short-term exposure limit |
- c) **References and sources for data**
sigma-aldrich.com
fishersci.co.uk
anatrace.com
- d) **Indication of methods used for classification (mixtures only)**
No data available
- e) **List of Hazard and Precautionary phrase not listed in full in other sections**
See Section 2.1.
- f) **Advice for training**

Disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Molecular Dimensions Ltd., shall not be held liable for any damage resulting from handling or from contact with the above product.